



# SAFETY DATA SHEET

## 1. Identification

**Product identifier** HydroForce® Glass Cleaner - 32 oz

**Other means of identification**

**Product Code** No. 14411 (Item# 1004964)

**Recommended use** Glass cleaner

**Recommended restrictions** None known.

**Manufacturer/Importer/Supplier/Distributor information**

**Manufactured or sold by:**

**Company name** CRC Industries, Inc.

**Address** 885 Louis Dr.  
Warminster, PA 18974 US

**Telephone**

**General Information** 215-674-4300

**Technical Assistance** 800-521-3168

**Customer Service** 800-272-4620

**24-Hour Emergency (CHEMTREC)** 800-424-9300 (US)

**Website** www.crcindustries.com

## 2. Hazard(s) identification

**Physical hazards** Not classified.

**Health hazards** Not classified.

**Environmental hazards** Not classified.

**OSHA defined hazards** Not classified.

**Label elements**

**Hazard symbol** None.

**Signal word** None.

**Hazard statement** The mixture does not meet the criteria for classification.

**Precautionary statement**

**Prevention** Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use.

**Response** Wash hands after handling.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of contents/container in accordance with local/regional/national regulations.

**Hazard(s) not otherwise classified (HNOC)** None known.

**Supplemental information** None.

## 3. Composition/information on ingredients

### Mixtures

| Chemical name   | Common name and synonyms | CAS number | %        |
|-----------------|--------------------------|------------|----------|
| water           |                          | 7732-18-5  | 90 - 100 |
| 2-butoxyethanol |                          | 111-76-2   | 1 - 3    |
| ammonia         |                          | 7664-41-7  | < 0.2    |

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

## 4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

|   |  |
|---|--|
| <b>Skin contact</b>   | Wash off with soap and water. Get medical attention if irritation develops and persists.                         |
| <b>Eye contact</b>  | Rinse with water. Get medical attention if irritation develops and persists.                                     |
| <b>Ingestion</b>  | Rinse mouth. Get medical attention if symptoms occur.  |
| <b>Most important symptoms/effects, acute and delayed</b>                     | Direct contact with eyes may cause temporary irritation.   |
| <b>Indication of immediate medical attention and special treatment needed</b> | Treat symptomatically.   |
| <b>General information</b>  | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. |

---

## 5. Fire-fighting measures

|  |   |
|--|---|
| <b>Suitable extinguishing media</b>                                  | Water fog. Foam. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> ).                      |
| <b>Unsuitable extinguishing media</b>                                | Do not use water jet as an extinguisher, as this will spread the fire.                        |
| <b>Specific hazards arising from the chemical</b>                    | During fire, gases hazardous to health may be formed.   |
| <b>Special protective equipment and precautions for firefighters</b> | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |
| <b>Fire-fighting equipment/instructions</b>                          | Move containers from fire area if you can do so without risk.                                 |
| <b>General fire hazards</b>  | No unusual fire or explosion hazards noted.   |

---

## 6. Accidental release measures

|  |  |
|--|--|
| <b>Personal precautions, protective equipment and emergency procedures</b> | Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.  |
| <b>Methods and materials for containment and cleaning up</b>               | This product is miscible in water.<br><br>Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.<br><br>Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.<br><br>Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. |
| <b>Environmental precautions</b>   | Avoid discharge into drains, water courses or onto the ground.   |

---

## 7. Handling and storage

|   |   |
|---|---|
| <b>Precautions for safe handling</b>                                | Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. For product usage instructions, see the product label.                         |
| <b>Conditions for safe storage, including any incompatibilities</b> | Store in a cool, dry place out of direct sunlight. Keep container tightly closed. Store away from incompatible materials (see Section 10 of the SDS). |

---

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components                     | Type | Value                               |
|--------------------------------|------|-------------------------------------|
| 2-butoxyethanol (CAS 111-76-2) | PEL  | 240 mg/m <sup>3</sup><br><br>50 ppm |
| ammonia (CAS 7664-41-7)        | PEL  | 35 mg/m <sup>3</sup><br>50 ppm      |

**US. ACGIH Threshold Limit Values**

| Components                     | Type | Value  |
|--------------------------------|------|--------|
| 2-butoxyethanol (CAS 111-76-2) | TWA  | 20 ppm |
| ammonia (CAS 7664-41-7)        | STEL | 35 ppm |
|                                | TWA  | 25 ppm |

**US. NIOSH: Pocket Guide to Chemical Hazards**

| Components                     | Type | Value                |
|--------------------------------|------|----------------------|
| 2-butoxyethanol (CAS 111-76-2) | TWA  | 24 mg/m <sup>3</sup> |
|                                |      | 5 ppm                |
| ammonia (CAS 7664-41-7)        | STEL | 27 mg/m <sup>3</sup> |
|                                |      | 35 ppm               |
|                                | TWA  | 18 mg/m <sup>3</sup> |
|                                |      | 25 ppm               |

**Biological limit values****ACGIH Biological Exposure Indices**

| Components                     | Value    | Determinant                              | Specimen            | Sampling Time |
|--------------------------------|----------|--|---------------------|---------------|
| 2-butoxyethanol (CAS 111-76-2) | 200 mg/g | Butoxyacetic acid (BAA), with hydrolysis | Creatinine in urine | *             |

\* - For sampling details, please see the source document.

**Exposure guidelines****US - California OELs: Skin designation**

2-butoxyethanol (CAS 111-76-2) Can be absorbed through the skin.

**US - Minnesota Haz Subs: Skin designation applies**

2-butoxyethanol (CAS 111-76-2) Skin designation applies.

**US - Tennessee OELs: Skin designation**

2-butoxyethanol (CAS 111-76-2) Can be absorbed through the skin.

**US NIOSH Pocket Guide to Chemical Hazards: Skin designation**

2-butoxyethanol (CAS 111-76-2) Can be absorbed through the skin.

**US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)**

2-butoxyethanol (CAS 111-76-2) Can be absorbed through the skin.

**Appropriate engineering controls**

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin protection**

**Hand protection** Wear protective gloves such as: Nitrile. Rubber.

**Other** Wear suitable protective clothing.

**Respiratory protection**

If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to determine actual employee exposure levels.

**Thermal hazards**

Wear appropriate thermal protective clothing, when necessary.

**General hygiene considerations**

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

**9. Physical and chemical properties****Appearance**

**Physical state** Liquid.

|   |                            |
|---|----------------------------|
| <b>Form</b>   | Liquid.                    |
| <b>Color</b>  | Light blue.                |
| <b>Odor</b>   | Ammoniacal.                |
| <b>Odor threshold</b>                               | Not available.             |
| <b>pH</b>   | 10.6                       |
| <b>Melting point/freezing point</b>                 | -103 °F (-75 °C) estimated |
| <b>Initial boiling point and boiling range</b>      | 179.6 °F (82 °C) estimated |
| <b>Flash point</b>                                  | None.                      |
| <b>Evaporation rate</b>                             | Slow.                      |
| <b>Flammability (solid, gas)</b>                    | Not available.             |
| <b>Upper/lower flammability or explosive limits</b> |                            |
| <b>Flammability limit - lower (%)</b>               | 1.3 % estimated            |
| <b>Flammability limit - upper (%)</b>               | 25 % estimated             |
| <b>Vapor pressure</b>                               | 23 hPa estimated           |
| <b>Vapor density</b>                                | > 1 (air = 1)              |
| <b>Relative density</b>                             | 0.99                       |
| <b>Solubility(ies)</b>                              |                            |
| <b>Solubility (water)</b>                           | Soluble.                   |
| <b>Partition coefficient (n-octanol/water)</b>      | Not available.             |
| <b>Auto-ignition temperature</b>                    | 446 °F (230 °C) estimated  |
| <b>Decomposition temperature</b>                    | Not available.             |
| <b>Viscosity</b>                                    | Not available.             |
| <b>Percent volatile</b>                             | 99.7 % estimated           |

---

## 10. Stability and reactivity

|   |   |
|---|---|
| <b>Reactivity</b>                         | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| <b>Chemical stability</b>                 | Material is stable under normal conditions.   |
| <b>Possibility of hazardous reactions</b> | No dangerous reaction known under conditions of normal use.                                   |
| <b>Conditions to avoid</b>                | Contact with incompatible materials.  |
| <b>Incompatible materials</b>             | Strong oxidizing agents.  |
| <b>Hazardous decomposition products</b>   | Carbon oxides. Aldehydes. Ketones. Organic acids.   |

---

## 11. Toxicological information

### Information on likely routes of exposure

|   |  |
|---|--|
| <b>Inhalation</b>   | Prolonged inhalation may be harmful.   |
| <b>Skin contact</b>   | 2-Butoxy ethanol may be absorbed through the skin in toxic amounts if contact is repeated and prolonged. These effects have not been observed in humans. |
| <b>Eye contact</b>  | Direct contact with eyes may cause temporary irritation.   |
| <b>Ingestion</b>  | Expected to be a low ingestion hazard.   |
| <b>Symptoms related to the physical, chemical and toxicological characteristics</b> | Direct contact with eyes may cause temporary irritation.   |

### Information on toxicological effects

#### Acute toxicity

| Components  | Species  | Test Results      |
|---|--|-------------------|
| 2-butoxyethanol (CAS 111-76-2)  |  |                   |
| <b>Acute</b>  |  |                   |
| <b>Dermal</b>   |  |                   |
| LD50  | Rabbit   | 220 mg/kg         |
| <b>Oral</b>   |  |                   |
| LD50  | Rat  | 470 mg/kg         |
| ammonia (CAS 7664-41-7)   |  |                   |
| <b>Acute</b>  |  |                   |
| <b>Inhalation</b>   |  |                   |
| LC50  | Rat  | 2000 ppm, 4 Hours |
| <b>Oral</b>   |  |                   |
| LD50  | Rat  | 350 mg/kg         |
| <b>Skin corrosion/irritation</b>                                      | Prolonged skin contact may cause temporary irritation.   |                   |
| <b>Serious eye damage/eye irritation</b>                              | Direct contact with eyes may cause temporary irritation.   |                   |
| <b>Respiratory or skin sensitization</b>                              |  |                   |
| <b>Respiratory sensitization</b>                                      | Not a respiratory sensitizer.  |                   |
| <b>Skin sensitization</b>   | This product is not expected to cause skin sensitization.  |                   |
| <b>Germ cell mutagenicity</b>   | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.   |                   |
| <b>Carcinogenicity</b>  | Not classifiable as to carcinogenicity to humans.  |                   |
| <b>IARC Monographs. Overall Evaluation of Carcinogenicity</b>         |  |                   |
| 2-butoxyethanol (CAS 111-76-2)  | 3 Not classifiable as to carcinogenicity to humans.  |                   |
| <b>OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)</b> |  |                   |
| Not regulated.  |  |                   |
| <b>US. National Toxicology Program (NTP) Report on Carcinogens</b>    |  |                   |
| Not listed.   |  |                   |
| <b>Reproductive toxicity</b>  | This product is not expected to cause reproductive or developmental effects.   |                   |
| <b>Specific target organ toxicity - single exposure</b>               | Not classified.  |                   |
| <b>Specific target organ toxicity - repeated exposure</b>             | Not classified.  |                   |
| <b>Aspiration hazard</b>  | Not an aspiration hazard.  |                   |
| <b>Chronic effects</b>  | May be harmful if absorbed through skin. Prolonged inhalation may be harmful.  |                   |
|   | 2-Butoxy ethanol may be absorbed through the skin in toxic amounts if contact is repeated and prolonged. These effects have not been observed in humans. |                   |
| <b>Further information</b>  | This product has no known adverse effect on human health.  |                   |

## 12. Ecological information

|                                      |  |   |                            |
|--------------------------------------|--|---|----------------------------|
| <b>Ecotoxicity</b>                   | The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. |   |                            |
| <b>Components</b>                    |  |   |                            |
| <b>Species</b>                       |  |   |                            |
| <b>Test Results</b>                  |  |   |                            |
| 2-butoxyethanol (CAS 111-76-2)       |  |   |                            |
| <b>Aquatic</b>                       |  |   |                            |
| Fish                                 | LC50   | Inland silverside (Menidia beryllina)     | 1250 mg/l, 96 hours        |
| ammonia (CAS 7664-41-7)              |  |   |                            |
| <b>Aquatic</b>                       |  |   |                            |
| Fish                                 | LC50   | Chinook salmon (Oncorhynchus tshawytscha) | 0.43 - 0.47 mg/l, 96 hours |
| <b>Persistence and degradability</b> | No data is available on the degradability of any ingredients in the mixture.   |   |                            |
| <b>Bioaccumulative potential</b>     |  |   |                            |

**Partition coefficient n-octanol / water (log Kow)**

2-butoxyethanol

0.83

**Mobility in soil**

No data available.

**Other adverse effects**

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

**13. Disposal considerations****Disposal instructions**

This product is not a RCRA hazardous waste (See 40 CFR Part 261.20 – 261.33). Empty containers may be recycled. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in accordance with all applicable regulations.

**Hazardous waste code**

Not regulated.

**Contaminated packaging**

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

**14. Transport information****DOT**

Not regulated as dangerous goods.

**IATA**

Not regulated as dangerous goods.

**IMDG**

Not regulated as dangerous goods.

**15. Regulatory information****US federal regulations**

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.

**SARA 304 Emergency release notification**

Not regulated.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)**

Not regulated.

**US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance**

2-butoxyethanol (CAS 111-76-2)

**CERCLA Hazardous Substance List (40 CFR 302.4)**

2-butoxyethanol (CAS 111-76-2)

**CERCLA Hazardous Substances: Reportable quantity**

Not listed.

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

**Other federal regulations****Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**Safe Drinking Water Act (SDWA)**

Not regulated.

**Food and Drug Administration (FDA)**

Not regulated.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)****SARA 302 Extremely hazardous substance**

| Chemical name | CAS number | Reportable quantity (pounds) | Threshold planning quantity (pounds) | Threshold planning quantity, lower value (pounds) | Threshold planning quantity, upper value (pounds) |
|---------------|------------|------------------------------|--------------------------------------|---|---|
| ammonia       | 7664-41-7  | 100                          | 500                                  |   |   |

**SARA 311/312 Hazardous chemical**

No

**SARA 313 (TRI reporting)**

| Chemical name   | CAS number | % by wt. |
|-----------------|------------|----------|
| 2-butoxyethanol | 111-76-2   | 1 - 3    |

**US state regulations****US. New Jersey Worker and Community Right-to-Know Act**

2-butoxyethanol (CAS 111-76-2)

ammonia (CAS 7664-41-7)

**US. Massachusetts RTK - Substance List**

2-butoxyethanol (CAS 111-76-2)

ammonia (CAS 7664-41-7)

**US. Pennsylvania Worker and Community Right-to-Know Law**

2-butoxyethanol (CAS 111-76-2)

ammonia (CAS 7664-41-7)

**US. Rhode Island RTK**

ammonia (CAS 7664-41-7)

**California Proposition 65**

Cancer - www.P65Warnings.ca.gov

**US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))**

2-butoxyethanol (CAS 111-76-2)

ammonia (CAS 7664-41-7)

**Volatile organic compounds (VOC) regulations****EPA****VOC content (40 CFR 51.100(s))** 3 %**Consumer products (40 CFR 59, Subpt. C)** Not regulated**State****Consumer products** This product is regulated as a Glass Cleaner (non-aerosol). This product is compliant for use in all 50 states.**VOC content (CA)** 3 %**VOC content (OTC)** 3 %**International Inventories**

| Country(s) or region        | Inventory name   | On inventory (yes/no)* |
|-----------------------------|--|------------------------|
| Australia                   | Australian Inventory of Chemical Substances (AICS)                     | No                     |
| Canada                      | Domestic Substances List (DSL)   | No                     |
| Canada                      | Non-Domestic Substances List (NDSL)                                    | Yes                    |
| China                       | Inventory of Existing Chemical Substances in China (IECSC)             | No                     |
| Europe                      | European Inventory of Existing Commercial Chemical Substances (EINECS) | No                     |
| Europe                      | European List of Notified Chemical Substances (ELINCS)                 | No                     |
| Japan                       | Inventory of Existing and New Chemical Substances (ENCS)               | No                     |
| Korea                       | Existing Chemicals List (ECL)  | No                     |
| New Zealand                 | New Zealand Inventory  | No                     |
| Philippines                 | Philippine Inventory of Chemicals and Chemical Substances (PICCS)      | No                     |
| Taiwan                      | Taiwan Chemical Substance Inventory (TCSI)                             | Yes                    |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory                          | Yes                    |

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

**16. Other information, including date of preparation or last revision**

|                    |             |
|--------------------|-------------|
| <b>Issue date</b>  | 04-01-2019  |
| <b>Prepared by</b> | Dustin Kern |
| <b>Version #</b>   | 01          |

**Further information**

CRC # 434D/1002416

**Disclaimer**

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries, Inc..

**Revision information**

Product and Company Identification: Product and Company Identification  
Regulatory information: California Proposition 65  
Material Attributes & Uses; Experimental Data: Material Attributes