UNDERSTANDING RUBBER INSULATING GLOVES

AS ONE OF THE MOST IMPORTANT COMPONENTS OF PPE FOR ELECTRICAL WORKERS, RUBBER INSULATING GLOVES NEED TO BE STRONG, FLEXIBLE, DURABLE, AND, OF COURSE, DIELECTRIC.

224 RUBBER INSULATING

226 LEATHER PROTECTORS

226 STORAGE BAGS

GLOVES

STANDARDS & USE

The proper function of rubber insulating gloves is extremely critical, and there are strict requirements outlined by OSHA 29 CFR 1910.137 with regards to their use and in-service care. There are also different classes of gloves available depending on the level of voltage protection they provide (see the table on the following page for this information).

It is critical to inspect your rubber insulating gloves before each day's use and after any action that could be expected to cause damage to the glove. If the gloves show any evidence of damage, they should not be used.

LEATHER PROTECTORS

GLOVE STORAGE BAGS

When they are not in use, rubber insulating gloves should be stored finger tips up in a glove bag and hung – **not laid** – flat. Leather protectors should be removed prior to storage and the rubber insulating gloves should never be folded. The bag should be stored in as dry and cool a place as possible (95°F maximum), away from sources of ozone and direct sunlight.



RUBBER INSULATING GLOVES





Novax® products exceed all requirements of ASTM D120, ensuring compliance with OSHA regulations and satisfying NFPA 70E requirements for protection against electrical shock hazards. The natural rubber construction offers excellent dielectric properties combined with flexibility, strength, and durability. Other features include a contoured shape that reduces hand fatigue and a rolled cuff for increased durability during donning and doffing.

RUBBER INSULATING GLOVES

NOVAX® GLOVE STYLES

NOVAX® RUBBER INSULATING GLOVES STRAIGHT CUFF STYLES

011011011111111111111111111111111111111					
STYLE NUMBER	CLASS	LENGTH	SIZES	COLOR	
150-00-11	00	11"	7 - 12	□ Black	
147-00-11	00	11"	7 - 12	Orange	
170-00-11	00	11"	7 - 12	Yellow	
153-00-11	00	11"	8 - 11	Red	
150-00-14	00	14"	7 - 12	□ Black	
170-00-14	00	14"	7 - 12	Yellow	
150-0-11	0	11"	7 - 12	☐ Black	
147-0-11	0	11"	7 - 12	Orange	
155-0-11	0	11"	7 - 12	☐ Black/ Orange	
170-0-11	0	11"	7 - 12	Yellow	
153-0-11	0	11"	8 - 11	Red	
150-0-14	0	14"	7 - 12	□Black	
170-0-14	0	14"	7 - 12	Yellow	
150-1-14	1	14"	7 - 12	☐ Black	
147-1-14	1	14"	7 - 12	Orange	
155-1-14	1	14''	7 - 12	■ Black/Orange	
153-1-14	1	14"	7 - 12	Red	
155-1-16*	1	16''	7 - 12	■ Black/Orange	
150-2-14	2	14"	7 - 12	☐ Black	
147-2-14	1	14''	7 - 12	Orange	
155-2-14	1	14"	7 - 12	■ Black/Orange	
170-2-14	1	14''	7 - 12	Yellow	
152-2-16	2	16''	7 - 12	■ Black/Yellow	
155-2-16	2	16"	8 - 12	■ Black/ Orange	
152-2-18**	2	18"	7 - 12	■ Black/Yellow	
155-2-18	2	18''	8 - 12	■ Black/ Orange	
150-3-16*	3	16"	9 - 12	□ Black	
155-3-16	3	16"	9 - 12	■ Black/ Orange	
150-3-18*	3	18"	9 - 12	■ Black	
155-3-18	3	18"	9 - 12	■ Black/ Orange	
150-4-16*	4	16"	9 - 12	■ Black	
155-4-16	4	16"	9 - 12	■ Black/ Orange	
150-4-18*	4	18''	9 - 12	■ Black	
155-4-18	4	18''	9 - 12	■ Black/ Orange	



BELL CUFF STYLES

STYLE NUMBER	CLASS	LENGTH	SIZES	COLOR
154-2-16*	2	16''	8 - 12	☐ Black/Yellow
159-2-16	2	16''	8 - 12	☐ Black/ Orange
161-2-16*	2	16''	8 - 12	■ Black/Red
154-2-18	2	18''	8 - 12	■ Black/Yellow
159-2-18	2	18''	8 - 12	■ Black/ Orange
161-2-18	2	18''	8 - 12	■ Black/Red
159-3-16	3	16''	9 - 12	■ Black/ Orange
159-3-18	3	18''	9 - 12	■ Black/ Orange
159-4-16	4	16''	9 - 12	■ Black/ Orange
159-4-18	4	18''	9 - 12	■ Black/ Orange
STYLE NUMBER	CLASS	LENGTH	SIZES	COLOR
158-1-18	4	4011		
100 1 10	1	18''	8 - 12	Black/ Orange
151-2-18*	2	18"	8 - 12 8 - 12	■ Black/Orange ■ Black/Yellow
				<u> </u>
151-2-18*	2	18"	8 - 12	■ Black/Yellow
151-2-18* 158-2-18	2	18" 18"	8 - 12 8 - 12	■ Black/Yellow ■ Black/ Orange
151-2-18* 158-2-18 162-2-18	2 2 2	18" 18" 18"	8 - 12 8 - 12 8 - 12	■ Black/Yellow ■ Black/ Orange ■ Black/ Red
151-2-18* 158-2-18 162-2-18 151-3-18	2 2 2 3	18" 18" 18" 18"	8 - 12 8 - 12 8 - 12 9 - 12	■ Black/Yellow ■ Black/ Orange ■ Black/ Red ■ Black/Yellow

NOVAX® LABELING CHART

CLASS COLOR	NOVAX® GLOVE LABEL	TEST AC VOLTS	USE AC VOLTS	USE DC VOLTS
00	10 NOVAX** by G.B. INDUSTRIES ANSI/ASTM MODER TO 120 CLASS 00 MODER TYPE I MAX USE VOLT 500V AC	2,500	500	750
CLASS	NOVAX" by G.B. INDUSTRIES ANSI / ASTM AMERIC TYPE I MAX USE VOLT TOBOV AC	5,000	1,000	1,500
CLASS 1	10 NOVAX** by G.B. INDUSTRIES ANSI/ASTM MINERS D120 CLASS 1 MAX USE VOLT 7500V AC	10,000	7,500	11,250
2	10 NOVAX™ by G.B. INDUSTRIES ANSI / ASTM. MESER. D120 CLASS 2 THE TREE TYPE I MAX USE VOLT 17660V AC	20,000	17,000	25,500
CLASS 3	10 NOVAX® by G.B. INDUSTRIES ANSI/ASTM MASHR D120 CLASS 3 MASHR TYPE I MAX USE VOLT 26500V AC	30,000	25,500	39,750
CLASS 4	10 NOVAX** by G.B. INDUSTRIES ANSI/ASTM MASSIL DI20 CLASS 4 THE I MAX USE VOLT 36000V AC	40,000	36,000	54,000

<u> </u>	
OSHA REGULATIONS	29CFR part 1910 -
	Occupational Safety and Health Standards
ASTM STANDARDS	ASTM D 120-08 -
	Rubber Insulating Gloves
	ASTM- F496-08 -
	In-Services Care of Insulating Gloves

and Sleeves ASTM F696-06 -

Leather Protectors for Rubber Insulating **Gloves and Mittens**

ASTM F1236-96 -

Visual Inspection of Electrical Protective

Rubber Products

NFPA STANDARDS National Electric Safety Code

NFPA 70E -

Electrical Safety in the Workplace -

General Workplaces

^{*} Special-order items

**Half sizes are available for this style (8.5, 9.5, 10.5, 11.5)


RUBBER INSULATING GLOVES

PROTECTORS & SAFETY KITS



LEATHER PROTECTOR GLOVE COVERS

STYLE NUMBER	CLASS	LENGTH	SIZES	MATERIAL	CUFF
148-1000	00-0	10''	7-12	Goatskin	Driver
148-2000	00-0	13"	7-12	Goatskin	Gauntlet
148-4000	1-2	12''	7-12	Cowhide	Gauntlet
148-5000	1-2	12''	7-12	Goatskin	Gauntlet
148-6000	1-4	14''	8-12	Goatskin	Gauntlet
148-7000	3-4	12"	9-12	Goatskin	Gauntlet



STYLE NUMBER	LENGTH	MATERIAL	COLOR
148-2136	11"	Nylon	☐ Black
148-2142	14"	Nylon	■ Black
148-6011	11"	Canvas	■ Natural
148-6014	14"	Canvas	■ Natural
148-6016	16"	Canvas	■ Natural
148-6018	18''	Canvas	■ Natural







WE MAKE IT EASY FOR YOU



INCLUDES:

PAIR OF RUBBER
INSULATING GLOVES

PAIR OF LEATHER PROTECTOR GLOVE COVERS

11" STORAGE BAG FOR GLOVES Just pick the class that your application requires, the color and size rubber glove that you want, and we do the rest by assembling a kit that works.

ELECTRICAL SAFETY KITS

STYLE NUMBER	CLASS	LENGTH	SIZES	COLOR
150-SK-00	00	11"	7-12	Black
147-SK-00	00	11"	7-12	Orange
150-SK-0	0	11"	7-12	Black
147-SK-0	0	11"	7-12	Orange
150-SK-1		14"	7-12	Black
147-SK-1	1	14"	7-12	Orange
150-SK-2	2	14"	7-12	■ Black
147-SK-2	2	14"	7-12	☐ Orange
155-SK-2	2	14"	7-12	■ Black/ Orange