# Scotch-Brite<sup>®</sup> Scuffing Discs, Pads, Rolls and Wheels

#### Scotch-Brite<sup>®</sup> Multi-Flex Abrasive Sheet Rolls

- Thin, ultra-conformable, extra sharp and economical Scotch-Brite<sup>®</sup> Sheets.
- · Quick scuffing of irregular surfaces.
- Non-leveling, reusable, use wet or dry.
  Easy pop-up dispenser center-pull roll.
- Scrunches into a ball, like steel wool, to protect hands.

- Comes in 8" x 20' roll with 4" x 8" perforated sheets.
   Use Scotch-Brite<sup>®</sup> General Purpose Grade Maroon/ Purple Abrasives (PN07521) in these applications: - Quick scuffing of irregular surfaces.
  - Super sharp, use where aggressive scratch is acceptable.
  - Scuffing prior to primer and primer surfaces.
  - Cleaning of whitewalls and engine parts.
  - Scuffing of new parts, door jambs and under hood webs.
- Use Scotch-Brite<sup>®</sup> Ultra Fine Grade Gray Abrasives (PN07522) in these applications:
  - Aggressive scuffing of blend areas.
  - Extra sharp for fast surface preparation prior to paint.

Part Number	Grade/Color	Sheets Per Roll	Rolls Per Case	
051131- <b>07521</b>	A-VFN	60	4	
General Purpose				
	Maroon/Purple			
051131- <b>07522</b>	S-UFN	60	4	
	Ultra Fine Gray			

# 3M<sup>™</sup> Intro Kit Scuff Rolls

 Consists of one roll each PNs 07745, 07747, 07748 and one quart of PN06014 3M™ Prep and Blend Liquid and a rack.

Part	Number	
αιι	Number	

# **Kits Per Case**

1

# 051131-07743

# 3M<sup>™</sup> Clear Blend Prep Scuff

- Excellent for sail panel blends.
- · Perfect for gold/silver/pearl metallic.
- Prep clear coat areas and critical blends.
- Easy "buff back."
- Provides optimum clear prep adhesion.

Part Number	Size/Color	<b>Rolls Per Case</b>
051131- <b>07745</b>	4.75" x 15' Gold	3

# 3M<sup>™</sup> Primer Prep Scuff

- Prep E-coated panels quickly.
- Scuffs faster without leveling.
- · Use on doorjams and underneath hoods.
- Provides optimum primer prep adhesion.

Part Number	Size/Color	<b>Rolls Per Case</b>
051131- <b>07747</b>	4.75" x 15' Maroon	3

#### 3M<sup>™</sup> Color Prep Scuff


- · Ideal for use on all panels.
- · Scuffs faster and finer.
  - · Use for prep of color-coat areas and



· Provides for optimum color prep adhesion.

Part Number	Size/Color	<b>Rolls Per Case</b>
051131- <b>07748</b>	4.75" x 15' Gray	3

#### Scotch-Brite<sup>®</sup> Clean & Strip **Disc Black**



- abrasive impregnated material. Perfect alternative to wire brushes for tough
- cleanup jobs on almost any type of surface.
- Disc is used with 3M<sup>™</sup> Wheel Mandrel (PN07491).

Part Number	Size	Discs Per Bag	Bags Per Case
051131- <b>07460</b>	4" x 1/4"	10	3

#### Scotch-Brite<sup>®</sup> Roloc<sup>™</sup> Coating Removal Disc Black

- Tough, open, virtually non-loading web
- makes surface preparation fast and easy. Great for removal of undercoatings,
- stone guards, seam sealers and rust.
- Works well under hood webs, in truck beds, door jambs, under carriage and wheel wells.



- Useful in tire shops to remove oxidation from rims.
- Eliminates slow leaks due to oxidation and/or corrosion.
- · Used for removal of rust from brake assemblies.
- Discs used with 3M<sup>™</sup> Roloc<sup>™</sup>+ Holder (PN07500).

Part Number	Size	Discs Per Box
051131- <b>07461</b>	3"	10

## Scotch-Brite<sup>®</sup> Roloc<sup>™</sup> + **Clean & Strip Disc Black**



- · Aggressively removes paint and rust from seams, door jambs, drip moldings,
- pinch-welds and other difficult-to-reach areas. Three-dimensional abrasive web conforms to work area.
- · Safer than wire bristle tools.
- Durable web design lasts longer and will not rust.
- Maximum operating speed 8000 RPM.
  Disc is used with 3M<sup>™</sup> Roloc<sup>™</sup>+ Holder (PN07500).

Part Number	Size	<b>Discs Per Case</b>
051131- <b>07466</b>	4" x 1/2"	10







# Scotch-Brite® Scuffing Discs, Pads, Rolls and Wheels

### Scotch-Brite<sup>®</sup> Scuffing Discs

- Constructed of a durable, three-dimensional,
- non-woven Scotch-Brite<sup>®</sup> web. • Designed to be used in conjunction with the 3M<sup>™</sup> Hookit<sup>™</sup> Disc Pad for 6" Discs (PN05776) on a random orbital sander.
- Offers a quicker, more efficient method of machine scuffing automotive finishes.

Part Number	Size/ Grade	Color	Discs Per Box	Boxes Per Case
051131- <b>07467</b>	6" General	Maroon	10	4
	Purpose			
051131- <b>07468</b>	6" Ultra Fine	Gray	10	4
051131- <b>07469</b>	3" General	Maroon	25	4
	Purpose			
051131- <b>07472</b>	3" Ultra Fine	Gray	25	4

### Scotch-Brite<sup>®</sup> Roloc<sup>™</sup> + Clean & Strip XT Disc Purple

- Durable, three-dimensional web aggressively removes paint, rust and seam sealer in hard-to-reach areas.
- Long-lasting disc is effective on jagged and sharp surfaces where other discs wear out.
- · Safer than wire sheets and will not rust.
- Maximum operating speed 8500 RPM.

Part Number	Size	Discs Per Case
NEW 051131- <b>07470</b>	4" x 1/2"	10

#### Scotch-Brite<sup>®</sup> Clean & Strip XT Disc Purple

- Stronger and tougher than the Scotch-Brite<sup>®</sup> Clean & Strip Disc (PN07460) for uniform disc wear and longer life. (For added conformability and flexibility use PNs 07460 or PN07466.)
- Will not rust.
- Use this disc with 3M<sup>™</sup> Wheel Mandrel (PN07491).
- Maximum operating speed 8500 RPM.

Part Number	Size	Discs Per Bag	Bags Per Case
NEW 051131- <b>07471</b>	4" x 1/4"	4	6

#### 3M<sup>™</sup> Wheel Mandrel

- For use with Scotch-Brite<sup>®</sup> Clean & Strip Disc (PN07460).
- Mandrel size is 2" long with 1/4" shank.
- Packed 1 per bag.

#### Part Number 048011-**07491**

#### Scotch-Brite<sup>®</sup> Bench Motor Wheel

Part Number 051131-07744



Each Per Case

• Excellent when used on a bench motor to clean, deburr, blend, finish or polish all types of metals, composites or plastics.

Each	Per	Case

-			
2			

#### Scotch-Brite<sup>®</sup> Imperial<sup>™</sup> Paint Prep Scuff Maroon

- Fastest, easiest way to get ready for paint/primer.
- Promotes better paint adhesion.
- Perforated; use in convenient hand-size pad or full-size.
- Tough use over and over.

Part Number	Scuffs Per Box	Boxes Per Case
051131- <b>07777</b>	20	3

#### 3M<sup>™</sup> Roloc<sup>™</sup> Disc Pad Assembly

- Hard rubber backup pad.
- Provides firm support for Scotch-Brite<sup>®</sup> Roloc<sup>™</sup> Surface Conditioning Discs and 3M<sup>™</sup> Roloc<sup>™</sup> Bristle Discs.



• Pad assemblies come complete with a 2" steel shaft and adaptor.

Part Number	Diameter	Shaft	Quantity Per Case
051131- <b>05538</b>	1"	1/4" Diameter	10
051144- <b>05539</b>	2"	1/4" Diameter	10
051144- <b>05540</b>	3"	1/4" Diameter	10
051131- <b>05541</b>	4"	1/4" Diameter	10

# **Gasket Removal Discs and Accessories**

#### Scotch-Brite<sup>®</sup> Surface **Conditioning Discs**

• Used to quickly remove cut cork or paper gaskets and form-in-place gasketing materials prior to the assembling of power train components.



- · Ideal for cleaning light oxidation and removing gasketing residue.
- Use on a wide variety of surfaces, including engine
- blocks, heads, valve covers and transmission housing. Use with Scotch-Brite<sup>®</sup> Surface Conditioning Disc Pads (PNs 07492-07494).

Part Number	Size	Discs Per Box	Boxes Per Case	
For Steel Pa	rts			
051131- <b>07450</b>	Coarse/Brown	4" x NH	10	4
051131- <b>07451</b>	Medium/Maroon	4" x NH	10	4
051131- <b>07455</b>	Coarse/Brown	3" x NH	25	4
051131-07456	Medium/Maroon	3" x NH	25	4
051131-07453	Coarse/Brown	2" x NH	25	4
051131-07457	Medium/Maroon	2" x NH	25	4
For Aluminu	Im Parts			
051131- <b>07504</b>	Medium (VFN) Blue	4" x NH	10	4
051131- <b>07505</b>	Fine (SFN) Gray	4" x NH	10	4
051131- <b>07506</b>	Medium (VFN) Blue	3" x NH	25	4
051131- <b>07507</b>	Fine (SFN) Gray	3" x NH	25	4
051131- <b>07508</b>	Medium (VFN) Blue	2" x NH	25	4
051131-07509	Fine (SFN) Gray	2" x NH	25	4

# Scotch-Brite<sup>®</sup> Disc Pad

- · Connects quickly and easily
- to any power tool.
  Holds Scotch-Brite<sup>®</sup> Surface Conditioning Discs securely and safely through the use of 3M<sup>™</sup> Scotchmate<sup>™</sup> Dual Lock<sup>™</sup> Fastening System.



Part Number	Size	Quantity Per Case
048011- <b>07492</b>	For 4" Discs	5
051131- <b>07493</b>	For 3" Discs	10
048011- <b>07494</b>	For 2" Discs	10

#### Scotch-Brite<sup>®</sup> Roloc<sup>™</sup> Surface **Conditioning Discs**

- Quick 1/2 turn on, 1/2 turn off. Use with 3M<sup>™</sup> Roloc<sup>™</sup> Disc Pad Assembly
- (PNs 05539-05541).
- Used to quickly remove cut cork or paper gaskets and form-in-place gasketing materials prior to the assembling of power train components.

Part Number	Color	Size/ Grade	Discs Per Box	Boxes Per Case
For Steel Par		Grade	Dex	Cubb
051131- <b>07480</b>	Brown	2" Coarse	25	4
051131- <b>07481</b>	Maroon	2" Medium	25	4
051131- <b>07482</b>	Brown	4" Coarse	10	10
051131- <b>07483</b>	Maroon	4" Medium	10	10
051131- <b>07485</b>	Brown	3" Coarse	25	4
051131- <b>07486</b>	Maroon	3" Medium	25	4
For Aluminu	n Parts			
051131- <b>07511</b>	Blue	4" Medium (VFN)	10	10
051131- <b>07512</b>	Gray	4" Fine (SFN)	10	10
051131- <b>07513</b>	Blue	3" Medium (VFN)	25	4
051131- <b>07514</b>	Gray	3" Fine (SFN)	25	4
051131- <b>07515</b>	Blue	2" Medium (VFN)	25	4
051131- <b>07516</b>	Gray	2" Fine (SFN)	25	4

## 3M<sup>™</sup> Roloc<sup>™</sup> Bristle Discs

- Super tough plastic bristle brush,
- embedded with abrasive. · Wears as it cleans, continually exposing fresh abrasive.
- The ideal tool to replace scrapers, wire wheels and
- chemical gasket stripper. Eliminates the danger of
- loose wires flying back at operator.
- · Safer for parts and the environment than hazardous chemical strippers.
- Maximum operating speeds (M.O.S.) allow for use on both die grinders and pistol grip grinders.
  - 1" Disc MOS = 30000 RPM
  - 2" Disc MOS = 25000 RPM
  - 3" Disc MOS = 18000 RPM
- Use green on steel parts and yellow or white on aluminum parts for quick and safe removal.
- Bristles ride over surface cleaning contaminants without gouging surface. • Use with 3M<sup>™</sup> Roloc<sup>™</sup> Disc Pad Assemblies
- (PNs 05538, 05539 and 05540).

Part Number	Grade	Color	Size	Discs Per Box	Boxes Per Case
051131- <b>07524</b>	50	Green	2"	10	4
051131-07525		Yellow	2"	10	4
051131-07526		Green	3"	10	4
051131-07527	80	Yellow	3"	10	4
051131-07528	120	White	2"	10	4
051131-07529	120	White	3"	10	4
051131-07530	50	Green	1"	10	4
051131- <b>07531</b>	80	Yellow	1"	10	4
051131- <b>07532</b>	120	White	1"	10	4

# Gasket Removal Discs and Accessories

#### 3M<sup>™</sup> Radial Bristle Discs

- 3" diameter x 3/8" center hole.
- Unique bristle pattern reaches tight or awkward areas such as grooves and along 90° angles.
- Flexible bristles conform to the part and
- cleans without removing base material. • Helps to reduce damage and rework.
- Higher cut rate than wire brushes for faster,
- more uniform finish.
- Applications include:
  - Removal of adhesive, paint, oxidation and other coatings.
  - Clean and prepare surfaces before and after welding.
  - Remove gasket materials from recessed areas.
  - Remove O-ring residue.

Part Number	Size	Grade	Discs Per Box	Boxes Per Case
051131- <b>07542</b>	3"	50	10	4
051131- <b>07543</b>	3"	80	10	4
051131- <b>07544</b>	3"	120	10	4

# 3M<sup>™</sup> Surface Preparation Point Of Purchase Display

- Designed to display our surface preparation discs.
- Clear plastic containers provide high-visibility counter display.
- Kit Contains:
- 25 Each Scotch-Brite<sup>®</sup> Roloc<sup>™</sup> Surface Conditioning Discs 2" Coarse Brown (PN07480)
- 25 Each Scotch-Brite<sup>®</sup> Roloc™ Surface Conditioning Discs 2" Medium Maroon (PN07481)
- 10 Each 3M<sup>™</sup> Roloc<sup>™</sup> Bristle Discs 2" Grade 50 Green (PN07524)
- 10 Each 3M<sup>™</sup> Roloc<sup>™</sup> Bristle Discs 2" Grade 80 Yellow (PN07525)
- Note: All discs are to be used with 3M<sup>™</sup> Roloc<sup>™</sup> Holder (PN05539)

Part Number		Displays Per Case
NEW	051131- <b>07590</b>	1

#### 3M<sup>™</sup> 990 Mandrel

- Designed for use with the 3" x 3/8" Radial Bristle Discs (PNs 07542, 07543, 07544).
- Allows stacking of one to four discs.

Part Number	Size	Quantity Per Case
048011- <b>15012</b>	1-3/4" x 1/4" mandrel shank	5
	size and 3/8" center hole	

#### Scotch-Brite<sup>®</sup> Gasket **Removal Discs**

- Made of non-woven nylon fiber material impregnated with aluminum oxide material.
- Ideal for removing old gasketing residue and preparing the surface for a new gasket, whether it be form-in-place, composite or paper.
- Can be used on cast or aluminum surfaces without damage.
- Uses 3M<sup>™</sup> Scotchmate<sup>™</sup> Fastening System (Hook and Loop design).
- Peggable package for easy display.
  For use with Scotch-Brite<sup>®</sup> Gasket
- Removal Disc Pad Holder (PNs 07706-07708).

Part Number	Size/ Grade/Color	Discs Per Pack	Packs Per Case
051131- <b>07700</b>	4" Coarse Brown	6	5
051131- <b>07701</b>	4" Medium Maroon	6	5
051131- <b>07702</b>	3" Coarse Brown	6	5
051131- <b>07703</b>	3" Medium Maroon	6	5
051131- <b>07704</b>	2" Coarse Brown	6	5
051131- <b>07705</b>	2" Medium Maroon	6	5

# Scotch-Brite<sup>®</sup> Gasket Removal Disc Pad Holder

- Backup pad for Scotch-Brite<sup>®</sup> Gasket Removal Discs (PNs 07700-07705).
- Connects quickly and easily to any power tool.
- Holds discs securely and safely through the use of the 3M<sup>™</sup> Scotchmate<sup>™</sup> Fastening System (Hook and Loop design).
- Peggable package for easy display.
- One Holder per package.

Part Number	Size	Pad Holders Per Case
051131- <b>07706</b>	2"	5
051131- <b>07707</b>	3"	5
051131- <b>07708</b>	4"	5

